

# OPEL ESL

S.O.S Car Simulator instruction manual

## ESL/ELV REPLACEMENT PROGRAM

Page 2

- Program introduction

MIN. VERSION

PHOTO

PINOUT

VIDEO

Page 3

- **OPEL**

001



## ● Program introduction



### Example cars

#### ESL


39028845  
23203935  
23484342  
23377962  
23103652

#### ESL

Opel Saab  
Vauxhall  
Chevrolet

## ●●● Jumpers to solder

Choose the S.O.S program by soldering the following jumpers depending on your car brand:



To choose the program you have to solder specific jumpers on the back of the Emulator:

#### Attention!

Always pul the Emulator back into the plastic cover before attaching it to the ECU board.

Attaching the Emulator to the ECU board without the plastic cover may result! in damaging the ECU or the Emulator!

# ESL

## ● OPEL SAAB VAUXHALL CHEVROLET



### Program Usage

The Emulator can be used with OPEL vehicles equipped with a 4-pin SCL plug



### Example cars


#### OPEL

- Opel Saab
- Vauxhall
- Chevrolet
- 39028845
- 23203935
- 23484342
- 23377962
- 23103652



## ●●● Jumpers to solder

**1** Select the S.O.S program by soldering the jumpers on the right:  
**7 + 5 + 3 + 2 + 1**



7 6 5 4 3 2 1  
**7 + 5 + 3 + 2 + 1**

**2** Connect the Emulator to the SCL plug according to the pictures on the right.

**3** The original ESL needs to be removed from the car.

K-LINE	Pin 7
STATU	Pin 5
CAN-H	Pin 4
GND	Pin 2
POWER +12V	Pin 1

